This is a digital copy of a book that was preserved for generations on library shelves before it was carefully scanned by Google as part of a project to make the world's books discoverable online.

It has survived long enough for the copyright to expire and the book to enter the public domain. A public domain book is one that was never subject to copyright or whose legal copyright term has expired. Whether a book is in the public domain may vary country to country. Public domain books are our gateways to the past, representing a wealth of history, culture and knowledge that's often difficult to discover.

Marks, notations and other marginalia present in the original volume will appear in this file - a reminder of this book's long journey from the publisher to a library and finally to you.

Usage guidelines

Google is proud to partner with libraries to digitize public domain materials and make them widely accessible. Public domain books belong to the public and we are merely their custodians. Nevertheless, this work is expensive, so in order to keep providing this resource, we have taken steps to prevent abuse by commercial parties, including placing technical restrictions on automated querying.

We also ask that you:

+ *Make non-commercial use of the files* We designed Google Book Search for use by individuals, and we request that you use these files for personal, non-commercial purposes.

+ *Refrain from automated querying* Do not send automated queries of any sort to Google's system: If you are conducting research on machine translation, optical character recognition or other areas where access to a large amount of text is helpful, please contact us. We encourage the use of public domain materials for these purposes and may be able to help.

+ *Maintain attribution* The Google "watermark" you see on each file is essential for informing people about this project and helping them find additional materials through Google Book Search. Please do not remove it.

+ *Keep it legal* Whatever your use, remember that you are responsible for ensuring that what you are doing is legal. Do not assume that just because we believe a book is in the public domain for users in the United States, that the work is also in the public domain for users in other countries. Whether a book is still in copyright varies from country to country, and we can't offer guidance on whether any specific use of any specific book is allowed. Please do not assume that a book's appearance in Google Book Search means it can be used in any manner anywhere in the world. Copyright infringement liability can be quite severe.

About Google Book Search

Google's mission is to organize the world's information and to make it universally accessible and useful. Google Book Search helps readers discover the world's books while helping authors and publishers reach new audiences. You can search through the full text of this book on the web at http://books.google.com/

D 101.11:
9-1005-223-12 P

*TM 9-1005-223-12P

DEPARTMENT OF THE ARMY TECHNICAL MANUAL

OPERATOR AND ORGANIZATIONAL MAINTENANCE REPAIR PARTS AND SPECIAL TOOL LISTS FOR RIFLE, 7.62-MM, M14 (NATIONAL MATCH) AND RIFLE, 7.62-MM, M14(M)

UNIVERSITY OF VIRGINIA
ALDERMAN LIBRARY
MAR 1 1991
GOVERNMENT DOCUMENTS

HEADQUARTERS, DEPARTMENT OF THE ARMY
Washington, D.C. 23 February 1968

This manual current as of 1 February 1968

			Page
SECTION	I.	INTRODUCTION	1
	II.	BASIC ISSUE ITEMS LIST	4
	III.	MAINTENANCE AND OPERATING SUPPLIES	8
	IV.	REPAIR PARTS	
		Repair Parts For:	
		Major groups and assemblies	9
		Firing mechanism	9
		Gun shoulder stock assembly	10
		Operating rod and connector group	10
		Bolt assembly	10
		Barrel and receiver group	11
	V.	SPECIAL TOOLS AND EQUIPMENT	17
	VI.	INDEX—FEDERAL STOCK NUMBER AND REFERENCE NUMBER CROSS-REFERENCE TO FIGURE AND ITEM NUMBER	18

UNIVERSITY OF VIRGINIA LIBRARY
X004816177

SECTION I

INTRODUCTION

1. Scope

This manual lists basic issue items, repair parts, special tools and equipment required for the performance of organizational maintenance of the M14 Rifle (National Match) and M14 Rifle (M).

2. General

The Basic Issue Items, Repair Parts and Special Tools List are divided into the following sections:

a. *Basic Issue Items—Section II.* A list of items which accompany the Rifle, M14, NM or

*This manual supersedes TM 9-1005-223-12P, 11 April 1963.

This copy is a reprint which includes current pages from Change 1.

Digitized by Google

M14(M) and are required by the operator for installation, operation, or maintenance.

b. *Maintenance and Operating Supplies—Section III.* A listing of maintenance and operating supplies required for initial operation.

c. *Prescribed Load Allowances (PLA).* Not applicable.

d. *Repair Parts—Section IV.* A list of repair parts authorized for the performance of maintenance at the organizational level, in figure and item number sequence.

e. *Special Tools and Equipment—Section V.* A list of special tools authorized for the performance of maintenance at the organizational level.

f. *Federal Stock Number and Reference Number Index—Section VI.* A list of Federal stock numbers in ascending numerical sequence, followed by a list of reference numbers appearing in all the listings, in ascending alpha-numeric sequence, cross referenced to the illustration figure number and item number.

3. Explanation of Columns

The following provides an explanation of columns in the tabular lists in Sections II, IV, and V.

a. *Source, Maintenance, and Recoverability Codes (SMR).*

(1) *Source Code.* Indicates the selection status and source for the listed item. Source codes are:

Code	Explanation
A	Applied to assemblies which are not procured or stocked as such but are made up of two or more units, each of which carry individual stock numbers and descriptions and are procured and stocked and can be assembled by units at indicated maintenance categories.
C	Applied to repair parts authorized for local procurement. If not obtainable from local procurement, such repair parts will be requisitioned through normal supply channels with a supporting statement of nonavailability from local procurement.
P	Applied to repair parts which are stocked in or supplied from Army supply system.
X1	Applied to repair parts which are not procured or stocked the requirement for which will be supplied by use of next higher assembly or component.

(2) *Maintenance Code.* Indicates the lowest category of maintenance authorized to install the listed item. The maintenance level codes are:

Code	Explanation
C	Operator/crew
O	Organizational Maintenance

(3) *Recoverability Code.* Indicates whether unserviceable items should be returned for recovery or salvage. Items not coded are expendable. Recoverability code is:

Code	Explanation
R	Applied to repair parts and assemblies which are economically reparable and are furnished by supply on an exchange basis.

b. *Federal Stock Number.* Indicates the Federal stock number assigned to the item and will be used for requisitioning purposes.

c. *Description.* Indicates the Federal item name and any additional description of the item required. The abbreviation "w/e" when used as a part of the nomenclature indicates the Federal stock number includes all armament, equipment, accessories, and repair parts issued with the item. A part number or other reference number is followed by the applicable five-digit Federal supply code for manufacturer in parentheses.

d. *Unit of Measure (U/M).* A 2 character alphabetic abbreviation indicating the amount or quantity of the item, upon which the allowances are based, e.g., ft, ea, pr, etc.

e. *Quantity Incorporated in Unit.* Indicates the quantity of the item used in an assembly or group.

f. *Quantity Furnished with the Equipment.* Indicates the quantity of an item furnished with the equipment (BIIL only).

g. *15–Day Organizational Maintenance Allowances.* Indicates the total quantity of an item required to be on hand and necessary for maintenance of the equipment. Items to be requisitioned, as required, are indicated by an asterisk.

h. *Illustration.*

(1) *Figure Number.* Indicates the figure number of the illustration in which the item is shown.

(2) *Item Number.* Indicates the callout number used to reference the item in the illustration.

Digitized by Google

Change No. 1

HEADQUARTERS
DEPARTMENT OF THE ARMY
Washington, DC, *20 April 1973*

Operator and Organizational Maintenance Repair Parts and Special Tools Lists for RIFLE, 7.62-MM, M14 (NATIONAL MATCH) AND RIFLE, 7.62-MM, M14 (M)

TM 9-1005-223-12P, 23 February 1968, is changed as follows:

Page 1. Paragraph 1 is superseded as follows:

1. Scope

This manual lists basic issue items, items troop installed, or authorized, repair parts and special tools required by the crew/operator for operation and required for the performance of organizational maintenance of the M14 Rifle (National Match) and M14 Rifle (M). One cartridge magazine, 7790183 (1, fig 5), and one small arms sling, 7141245 (fig 1), are furnished with each weapon as component items.

Paragraph 2 is superseded as follows:

2. General

The basic issue items, items troop installed or authorized, repair parts and special tools lists is divided into the following sections:

a. Basic Issue Items List — Section II. Not Applicable.

b. Items Troop Installed or Authorized List—Section III. A list, in alphabetical sequence, of items required by the operator for sustained operation of the end item. These discretionary items will be requisitioned by the unit in accordance with its mission requirements. They may accompany the end item, but are not subject to be turned in with it.

c. Repair Parts List—Section IV. A list of repair parts authorized at the organizational level for the performance of maintenance, with the parts listed in figure and item number sequence. The illustrations also include parts which must be removed for replacement of authorized parts.

d. Special Tools List — Section V. A list of special tools, test and support equipment authorized for the performance of maintenance at the organizational level.

e. Federal Stock Number and Reference Number Index — Section VI. A list, in ascending numerical sequence, of all Federal stock numbers appearing in the listings, followed by a list, in alphanumeric sequence, of all reference numbers appearing in the listings. Federal stock numbers are cross-referenced to each illustration figure and item number appearance.

Page 2. Paragraphs 3c, *d*, *e*, *f*, and *g* are superseded as follows:

c. Description. Indicates the Federal item name and minimum description required to identify the item. The last line indicates the reference number followed by the applicable Federal supply code for manufacturer (FSCM) in parentheses. The FSCM is used as an element in item identification to designate manufacturer, distributor, or Government agency, etc, and is identified in SB 708-42.

d. Unit of Measure (U/M). Indicates the standard or basic quantity by which the listed item is used

Digitized by Google

in performing the actual maintenance function. This measure is expressed by a two-character alphabetical abbreviation, e.g., ea, in, pr., etc. and is the basis used to indicate quantities. When the unit of measure differs from the unit of issue, the lowest unit of issue that will satisfy the required units of measure will be requisitioned.

e. Quantity Furnished with Equipment (Basis Issue Items Only). Indicates the quantity of the item furnished with the equipment.

f. Quantity Authorized (Items Troop Installed or Authorized Only). Indicates the quantity of the item authorized to be used with the equipment.

f.1 Quantity Incorporated in Unit. Indicates the quantity of the item used in that functional group/assembly. A "V" appearing in this column in lieu of a quantity indicates that no specific quantity is applicable, e.g., shims, spacers, etc.

Page 3. Paragraph 4 is superseded as follows:

4. Expendable and Consumable Supplies

Refer to table 1.

Table 1. Expendable and Consumable Supplies

Federal Stock Number	Description	Symbol
8020-244-0153	BRUSH, ARTIST: METAL FERRULE, FLAT, CHISEL EDES, 7/16 W, 1-1/8 LG, EXPOSED BRISTLE HB241 (81348)	
7920-205-2401	BRUSH, CLEANING, TOOL AND PARTS: RD, 100 PERCENT TAMPICO FIBER, 1-1/16 AT FERRULE BRUSH DIA, 2-7/8 CLEAR OF BLOCK BRUSH LG MS16746-29 (96906)	
6850-965-2832	CARBON REMOVING COMPOUND: (5 GAL PAIL) PC111(81348)	
6850-224-6657	CLEANING COMPOUND, RIFLE BORE: (8 OZ CAN) MILC372 (81349)	RBC
5350-221-0872	CLOTH, ABRASIVE, CROCUS: FERRIC OXIDE AND QUARTZ. JEAN-CLOTH-BACKING, CLOSED COATING, 9 W, 11 LG, 50-SH-SLEEVE PC458 (81348)	CA
6850-281-1965	DRY CLEANING SOLVENT: (1 GAL CAN) PD680 (81348)	SD
9150-754-0063	GREASE, RIFLE: (1 LB CAN) MILG46003 (81349)	
8010-221-0611	LINSEED OIL, RAW: (1 GAL CAN) TTL00215 (81348)	
9150-273-2389	LUBRICATING OIL, GENERAL PURPOSE: (4 OZ CAN) VVL800 (81348)	PL-S
9150-292-9689	LUBRICATING OIL, WEAPONS: FOR BELOW ZERO OPERATION (1 QT CAN) MILL14107 (81349)	LAW
7920-205-1711	RAG, WIPING: COTTON (50 LB BAIL) DDDR30, CLASS 2, GRADE B (81348)	
1005-288-3565	SWAB, SMALL ARMS CLEANING: COTTON 2-1/2 SQ (1,000 IN PKG) 5019316 (19204)	

Digitized by Google

Paragraph 9 is superseded as follows:

9. Reporting of Equipment Publication Improvements

The reporting of errors, omissions, and recommendation for improving this publication by the individual user is encouraged. Reports should be submitted on DA Form 2028 (Recommended Changes to Publications) and forwarded direct to Commander, US Army Weapons Command, ATTN: AMSWE-MAS-SP, Rock Island, IL 61201.

Page 8. Section III is superseded as follows:

Section III. Items Troop Installed or Authorized List

Federal Stock Number	(2) Description Reference Number & Mfr. Code Usable on Code	(3) Unit of Meas	(4) Qty Auth
1005-628-9048	MAGAZINE, CARTRIDGE: 20 CARTRIDGE CAPACITY 7790183 (19204)	EA	1

By Order of the Secretary of the Army:

CREIGHTON W. ABRAMS
General, United States Army
Chief of Staff

Official:
VERNE L. BOWERS
Major General, United States Army
The Adjutant General

Distribution:
To be distributed in accordance with DA Form 12-40 (qty rqr block No. 139), Organizational maintenance requirements for Rifle, 7.62MM, M14 (National Match) and Rifle, 7.62MM (MI4) M.

Digitized by Google

Digitized by Google

4. Explanation of Columns in the Tabular List of Maintenance and Operating Supplies, Section III

a. *Component Application, Column 1.* Identifies the component application of each maintenence or operating supply item.

b. *Federal Stock Number, Column 2.* Indicates the Federal stock number assigned to the item and will be used for requisitioning purposes.

c. *Description, Column 3.* Indicates the item name and brief description.

d. *Quantity Required for Initial Operation, Column 4.* Indicates the quantity of each maintenence or operating supply item required for initial operation of the equipment (M & O supplies only).

5. Special Information

a. Since all items are authorized and repaired at Organizational level, there is no maintenance allocation chart furnished.

b. Indentification of the usable on codes of this publication are:

Code	Used On
A	Rifle M14 NM
B	Rifle M14(M)

6. How to Locate Repair Parts

a. When Federal stock number or reference number is unknown:

(1) *First.* Using the table of contents determine the functional group or assembly, within which the repair part belongs. This is necessary since illustrations are prepared for functional groups and assemblies, and listings are divided into the same groups.

(2) *Second.* Find the illustration covering the functional group or assembly to which the repair part belongs.

(3) *Third.* Identify the repair part on the illustration and note the illustration, figure and item number of the repair part.

(4) *Fourth.* Using the Repair Parts Listing, find the functional group or assembly to which the repair part belongs and locate the illustration figure and item number noted on the illustration.

b. When the Federal stock number or reference number is known:

(1) *First.* Using the Index of Federal Stock Numbers and Reference Numbers, find the pertinent Federal stock number or reference number. This index is in ascending FSN sequence followed by a lists of reference numbers in alpha-numeric sequence, cross-referenced to the illustration figure number and item number.

(2) *Second.* Using the Repair Part Listing, find the assembly or group of the repair part and the illustration figure number and item number referenced in the Index of Federal Stock Numbers and Reference Numbers.

7. Abbreviations

Abbreviations	Explanation
Cres	Corrosion resistant steel
fil–ck–hd	fillister countersunk head
fl–fil–hd	flat fillister head
non–std–pt	non–standard point
UNF	Unified fine thread

8. Federal Supply Codes for Manufacturers

Code	Manufacturer
19204	Rock Island Arsenal Rock Island, Ill.
19205	Springfield Armory Springfield, Mass.
19200	Frankford Arsenal Philadelphia, Pa.
19203	Picatinny Arsenal Dover, New Jersey
81348	Federal Specification
81349	Military Specification
96906	Military Standard

9. Recommendations for Maintenance Publications Improvements

Report of errors, omissions, and recommendations for improving this publication by the individual user is encouraged. Reports should be submitted on DA Form 2028 (Recommended Changes to DA Publications) and forwarded direct to:

Commanding General
U.S. Army Weapons Command
ATTN: AMSWE–SMM–P
Rock Island Arsenal
Rock Island, Illinois 61201

Digitized by Google

Section II. BASIC ISSUE ITEMS LIST

(1) Source, maint. and reserv. code (a) Source	(b) Maint.	(c) Reserv.	(2) Federal stock No.	(3) Description Reference Number and Mfr Code / Usable on code	(4) Unit of meas	(5) Qty. inc. in unit	(6) Qty. furn. with equip.	(7) Illustration (a) Fig. No.	(b) Item No.
				MAJOR ITEMS					
				The major items listed below are utilized for match competition.					
		R	1005-678-9828	RIFLE, 7.62-MM: M14, National Match, w/e 5910841 (19204)	ea	------	------	1	
		R	1005-678-9829	RIFLE, 7.62-MM: M14(M) w/e 5910842 (19204)	ea	------	------	2	
				REPAIR PARTS FOR: RIFLE, 7.62-MM, M14(NM) AND M14(M)					
P	C	--	1005-628-9048	MAGAZINE, CARTRIDGE: (Packaged with the weapon) 7790183 (19205)	ea	------	2	5	1
				EQUIPMENT FOR: RIFLE, 7.62-MM, M14 (NM) AND M14(M)					
			1005-714-1245	SLING, SMALL ARMS: leather, M1907 (Parkaged with the weapon) 7141245 (19204)	ea	------	1	1	
				MISCELLANEOUS MATERIAL					
				The items listed under the subheadings below are not issued with the major item but are requisitioned and issued in accordance with tables of organization and equipment, tables of allowances or otherwise authorized.					
				AMMUNITION					
				Ammunition for use with these rifles is listed in SC 1305/30-IL					
				ARTICLES FOR INSTRUCTIONAL PURPOSES					
				The following items WILL BE TAKEN into the field upon permanent change of station and into the theater of operation.					
			1305-542-1272	CARTRIDGE, 7.62-MM, DUMMY: NATO, M63 7553706 (19200)	ctn				
			1005-617-4998	DEVICE, AIMING: M2 6174998 (19200)	ea	------	------	3	
			6910-716-0903	TRAINING, RIFLE SIGHTING: M15, cardboard, hard fin., 3-1/2 w, 0.016 thk, 7 o/a lg 7160903 (19204)	ea	------	------	4	
				MATERIAL ISSUED BY ADJUTANT GENERAL					
				The following item is issued by the Adjutant General in accordance with distribution formula and AR 310-1. Additional copies, when required, shall be requisitioned from the Adjutant General.					
				TECHNICAL MANUAL, TM 9-1005-223-12P					

Digitized by Google



Figure 1. 7.62-MM Rifle M14 (National Match).

Figure 2. 7.62-MM Rifle M14(M).

Digitized by Google



Figure 3. Aiming device.

Digitized by Google



Figure 4. Rifle Sighting Trainer M15.

Digitized by Google

Section III. MAINTENANCE AND OPERATING SUPPLIES

(1) Component application	(2) Federal Stock number	(3) Description	(4) Required for initial operation	(5) Required for basic operation	(6) Notes
GENERAL USAGE	8020-244-0153	BRUSH, ARTIST: metal ferrule, flat chisel edges, 7/16 w, 1 1/8 lg, exposed bristle	EA		
GENERAL USAGE	7920-205-2401	BRUSH, CLEANING, TOOL AND PARTS: rd 100 percent tampico fiber, 1 1/16 at ferrule brush dia, 2 7/8 clear of block brush lg	EA		
GENERAL APPLICATION	6850-620-0610	CARBON REMOVING COMPOUND: P-C-111A (5 gallon pail)	PL		
GENERAL APPLICATION		CLEANING COMPOUND SOLVENT: (CR)			
	6850-224-6657	6 oz can	CN		
	6850-224-6663	1 gal can	GL		
GENERAL USAGE	5350-221-0872	CLOTH, ABRASIVE: crocus ferric oxide and quartz, jeancloth-backing, closed coating, 9 w, 11 lg, 50-sh-sleeve (CA)	SV		
GENERAL APPLICATION	6850-281-1985	DRY CLEANING SOLVENT: (SD) (1 gal can)	GL		
BOLT AND RECEIVER	9150-754-0063	GREASE, RIFLE: (Fiske Bros. Refining Co., lubriplate 130-A or equal) (1 lb can)	LB		
STOCK	8010-221-0611	LINSEED OIL, RAW: TT-L-00215, 4 max acid No. 177 min iodine No. 0.926 to 0.931 sp gr (1 gal can)	GL		
GENERAL APPLICATION		LUBRICATING OIL, GENERAL PURPOSE: (PL special)			
	9150-273-2389	4 oz can	CN		
	9150-231-6689	1 qt can	QT		
GENERAL APPLICATION	9150-292-9689	LUBRICATING OIL, WEAPONS: (LAW) for below zero operations (1 qt can)	QT		
GENERAL USAGE	7920-205-1711	RAG, WIPING: cotton, for general purpose use (50 lb bale)	BE		
BARREL	1005-288-3565	SWAB, SMALL ARMS CLEANING: cotton, 2 1/2 sq (1000 in pkg) 5019316 (19204)	*		

Digitized by Google

Section IV. REPAIR PARTS

(1) Source maint. and recov. code (A) Source	(B) Maint.	(C) Recov.	(2) Federal stock No.	(3) Description: Reference number & mfr code / Usable on code	(4) Unit of meas	(5) Qty. inc. in unit	(6) 15 Day Organizational Maint. Allowance (A) 1-5	(B) 6-20	(C) 21-50	(D) 51-100	(7) Illustration (A) Figure No.	(B) Item No.
				REPAIR PARTS FOR MAJOR GROUPS AND ASSEMBLIES								
P	C		1005-628-9048	MAGAZINE, CARTRIDGE: 7790183 (19205)	EA	1	-----	-----	-----	*	5	1
X1	-------	-------		FIRING MECHANISM: 7790195 (19204)	---	1	-----	-----	-----	-----	5	2
X1	-------	-------		STOCK ASSEMBLY, GUN, SHOULDER: 11010281 (19205)	---	1	-----	-----	-----	-----	5	3
P	O		1005-856-2108	GUARD ASSEMBLY, HAND, FIBERGLASS: 7791286 (19205)	EA	1	-----	-----	-----	*	5	4
A	-------	-------		OPERATING ROD AND CONNECTOR GROUP	EA	1	-----	-----	-----	-----	5	5
X1	-------	-------		BOLT ASSEMBLY: 7790187 (19204)	---	1	-----	-----	-----	-----	5	6
A	-------	-------		BARREL AND RECEIVER GROUP	---	1	-----	-----	-----	-----	5	7
				FIRING MECHANISM								
P	O		1005-819-4501	PIN, TRIGGER: S, fil-ck-hd 7791367 (19205)	EA	1	-----	-----	-----	*	6	1
P	O		1005-587-8419	TRIGGER AND SEAR ASSEMBLY: 7267090 (19205)	EA	1	-----	-----	-----	*	6	2
P	O		1005-600-8883	HOUSING, HAMMER SPRING: 6008883 (19205)	EA	1	-----	-----	-----	*	6	3
P	O		1005-600-8887	SPRING, HELICAL, COMPRESSION: S, 0.063 stk size, 0.361 free od, 1.550 free o/a lg, 20 coils 6008887 (19205)	EA	1	-----	-----	-----	*	6	4
P	O		1005-600-8880	PLUNGER, HAMMER SPRING: 6008880 (19205)	EA	1	-----	-----	-----	*	6	5
P	O		5315-501-3668	PIN, STRAIGHT, HEADED: fl-fil-hd, S, phos-ctd, 0.187 shank dia, 3/4 lg under head (hammer) 5013668 (19204)	EA	1	-----	-----	-----	*	6	6
P	O		1005-554-6008	HAMMER: firing 5546008 (19205)	EA	1	-----	-----	-----	*	6	7
P	O		1005-554-6015	SAFETY, SMALL ARMS: catch holding device 5546015 (19205)	EA	1	-----	-----	-----	*	6	8
P	O		1005-587-8414	SPRING, SAFETY: 7267080 (19205)	EA	1	-----	-----	-----	*	6	9
P	O		1005-587-6988	GUARD, TRIGGER: 7790990 (19205)	EA	1	-----	-----	-----	*	6	10
P	O		1005-628-9055	HOUSING ASSEMBLY, TRIGGER: 7790196 (19205)	EA	1	-----	-----	-----	*	6	11
P	O		1005-994-4242	PIN, SPRING, TUBULAR COILED: S, 0.010 stk size, 0.121 od, 0.64 lg 7791418 (19205)	EA	1	-----	-----	-----	*	6	12

Digitized by Google

Section IV. REPAIR PARTS—Continued

(1) Source maint. and recov. code (A) Source	(B) Maint.	(C) Recov.	(2) Federal stock No.	(3) Description: Reference number & mfr code / Usable on code	(4) Unit of meas	(5) Qty. inc. in unit	(6) 15 Day Organizational Maint. Allowance (A) 1–5	(B) 6–20	(C) 21–50	(D) 51–100	(7) Illustration (A) Figure No.	(B) Item No.
P	O		1005–587–8389	LATCH, MAGAZINE: housing assy, trigger, 7267032 (19205)	EA	1	-----	-----	-----	•	6	13
P	O		1005–587–8395	SPRING, MAGAZINE LATCH: 7267041 (19205)	EA	1	-----	-----	-----	•	6	14
X1	-------		----------	HOUSING: trigger 7267030 (19204)	EA	1	-----	-----	-----	-----	6	15
				GUN SHOULDER STOCK ASSEMBLY								
P	O		5305–600–8881	SCREW, MACHINE: fil-ck-hd, S, phos-ctd, no. 12–28NF–2A, 3.171 lg 6008881 (19204)	EA	1	-----	-----	-----	•	7	1
P	O		1005–600–8889	SWIVEL: butt stock 6008889 (19205)	EA	1	-----	-----	-----	•	7	2
P	O		1005–474–2754	SCREW, WOOD: butt plate 7791036 (19205)	EA	1	-----	-----	-----	•	7	3
P	O		1005–690–4067	PLATE ASSEMBLY, BUTT HINGED: w/shoulder rest 7790686 (19205)	EA	1	-----	-----	-----	•	7	4
P	O		1005–912–3711	STOCK, GUN SHOULDER: 11010282 (19205)	EA	1	-----	-----	-----	•	7	5
				OPERATING ROD AND CONNECTOR GROUP								
P	O		1005–678–9824	CONNECTOR ASSEMBLY: 7790424 (19205)	EA	1	-----	-----	-----	•	8	1
P	O		1005–587–8385	GUIDE, OPERATING ROD SPRING: 7267027 (19205)	EA	1	-----	-----	-----	•	8	2
P	O		1005–587–8413	SPRING, OPERATING ROD: 7267079 (19205)	EA	1	-----	-----	-----	•	8	3
P	O		1005–587–8404	ROD, OPERATING: 7267064 (19205)	EA	1	-----	-----	-----	•	8	4
				BOLT ASSEMBLY								
P	O		1005–953–9504	EXTRACTOR, SMALL ARMS CARTRIDGE: 7791578 (19205)	EA	1	-----	-----	-----	•	9	1
P	O		1005–587–8381	EJECTOR, CARTRIDGE WITH SPRING: bolt 7267015 (19205)	EA	1	-----	-----	-----	•	9	2
P	O		1005–600–8618	PLUNGER, EXTRACTOR SPRING: 6008618 (19205)	EA	1	-----	-----	-----	•	9	3
P	O		1005–921–5248	PIN, FIRING: 11686413 (19205)	EA	1	-----	-----	-----	•	9	4
P	O		1005–628–9050	BOLT, BREECH: 7790186 (19205)	EA	1	-----	-----	-----	•	9	5
P	O		1005–587–8405	ROLLER, BOLT: 7267065 (19205)	EA	1	-----	-----	-----	•	9	6
P	O		1005–587–8402	RETAINER, BOLT ROLLER: 7267059 (19205)	EA	1	-----	-----	-----	•	9	7

Digitized by Google

Section IV. Repair Parts—Continued

(1) Source maint. and recov. code (A) Source	(B) Maint.	(C) Recov.	(2) Federal stock No.	(3) Description: Reference number & mfr code / Usable on code	(4) Unit of meas	(5) Qty. inc. in unit	(6) 15 Day Organizational Maint. Allowance (A) 1–5	(B) 6–20	(C) 21–50	(D) 51–100	(7) Illustration (A) Figure No.	(B) Item No.
X1				BOLT: 7790185 (19204)	EA	1	-----	-----	-----	-----	9	8
				BARREL AND RECEIVER GROUP								
P	O		1005–999–3399	PINION ASSEMBLY, REAR SIGHT ELEVATING: 11010363 (19205)	EA	1	-----	-----	-----	*	10	1
P	O		1005–649–9275	KNOB, WINDAGE ASSEMBLY: rear sight 7790386 (19205)	EA	1	-----	-----	-----	*	10	2
P	O		1005–864–2926	APERTURE ASSEMBLY: A 595 7791133 (19205)	EA	1	-----	-----	-----	*	10	3
				OR								
P	O		1005–864–2928	APERTURE ASSEMBLY: A 520 7791282 (19205)	EA	1	-----	-----	-----	*	10	3A
P	O		1005–600–8868	APERTURE SIGHT: B 6008868 (19205)	EA	1	-----	-----	-----	*	10	3
P	O		1005–600–8872	COVER, REAR SIGHT: 6008872 (19205)	EA	1	-----	-----	-----	*	10	4
P	O		1005–754–6799	BASE, REAR SIGHT: 7791571 (19205)	EA	1	-----	-----	-----	*	10	5
P	O		5305–921–6155	SCREW, CAP, SOCKET HEAD, HEXAGON: 11010298 (19205)	EA	1	-----	-----	-----	*	10	6
P	O		1005–980–5203	SIGHT, FRONT: 7791122 (19205)	EA	1	-----	-----	-----	*	10	7
P	O		5305–042–6426	SETSCREW: hex-socket, non-std pt, 0.092 max dia, 0.070 lg, S, phos-ctd, no. 6–40UNF–3A, 1/4 lg 7790300 (19205)	EA	1	-----	-----	-----	*	10	8
P	O		1005–587–8394	NUT, PLAIN ROUND: flash suppressor 7267039 (19205)	EA	1	-----	-----	-----	*	10	9
P	O		1005–545–1573	SUPPRESSOR, FLASH: rifle 7791053 (19205)	EA	1	-----	-----	-----	*	10	10
P	O		1005–587–8400	PLUG, GAS CYLINDER: 7267053 (19205)	EA	1	-----	-----	-----	*	10	11
P	O		1005–587–8398	PISTON: gas cylinder 7267047 (19205)	EA	1	-----	-----	-----	*	10	12
P	O		1005–628–9051	LOCK, GAS CYLINDER: 7790188 (19205)	EA	1	-----	-----	-----	*	10	13
P	O		1005–790–8766	CYLINDER, GAS, RIFLE: 7790902 (19205)	EA	1	-----	-----	-----	*	10	14
C	O		5315–051–6891	PIN, SPRING: 5/64 x 3/8 MS16562–107 (96906)	EA	2	-----	-----	-----	*	10	15
P	O		1005–587–8421	SPINDLE, VALVE: 7267604 (19205)	EA	1	-----	-----	-----	*	10	16
P	O		1005–587–8422	SPRING, VALVE: 7267605 (19205)	EA	1	-----	-----	-----	*	10	17

Digitized by Google

Section IV. Repair Parts—Continued

(1) Source maint. and recov. code			(2)	(3)	(4)	(5)	(6)				(7)	
(A) Source	(B) Maint.	(C) Recov.	Federal stock No.	Description Reference number & mfr code — Usable on code	Unit of issue	Qty. inc. in unit	(A)	(B)	(C)	(D)	(A)	(B)
P	O		1005-587-8375	BAND, FRONT: 7267001 (19205)	EA	1	-----	-----	-----	*	10	18
C	O		5315-993-3247	PIN, SPRING: cres, pass-fin., 1/8 dia, 3/4 lg, MS51923-291 (96906)	EA	1	-----	-----	-----	*	10	19
P	O		1005-587-8386	GUIDE, OPERATING ROD: 7267025 (19205)	EA	1	-----	-----	-----	*	10	20
P	O		5315-839-0897	PIN, SPRING: bolt lock, 3/32 nom dia, 1 lg MS16562-124 (96906)	EA	1	-----	-----	-----	*	19	21
P	O		1005-587-8390	LOCK, BOLT: 7267034 (19205)	EA	1	-----	-----	-----	*	10	22
P	O		1005-587-8411	SPRING, BOLT LOCK: 7267074 (19205)	EA	1	-----	-----	-----	*	10	20
P	O		1005-587-8396	PIN, CONNECTOR LOCK: 7267042 (19205)	EA	1	-----	-----	-----	*	10	24
P	O		1005-587-8391	LOCK, CONNECTOR: 7267035 (19205)	EA	1	-----	-----	-----	*	10	20
X1	-------	-------		BARREL AND RECEIVER ASSEMBLY: 7791363 (19204)	EA	1	-----	-----	-----	-----	10	20
P	O		5315-051-8636	PIN, SPRING: S, phos-ctd, 3/32 x 9/16 MS16562-120 (96906)	EA	1	-----	-----	-----	*	10	27
P	O		1005-628-9049	GUIDE, CARTRIDGE CLIP: 7790184 (19205)	EA	1	-----	-----	-----	*	10	22
P	O		1005-018-3255	BARREL, RIFLE: A 7791362 (19205)	EA	1	-----	-----	-----	*	10	20
X1	-------	-------		RECEIVER: 7790189 (19204)	EA	1	-----	-----	-----	-----	10	20
				SPECIAL PACKAGING MATERIAL The items listed below are required for preservation when the rifles are packaged for shipment or storage.								
			1005-336-0211	BAG, BARRIER, VCI TREATED: 10 inside w/tapered to 4 inside w, 49 lg 7265933 (19205)	EA	---	-----	-----	-----	*		
			1005-018-3254	CAP, REAR SIGHT ELEVATING: 7791345 (19205)	EA	---	-----	-----	-----	*		
			1005-875-9765	PROTECTOR, HANDLE: 7790231 (19205)	EA	---	-----	-----	-----	*		
			1005-875-9766	PROTECTOR, MUZZLE: plastic 7790232 (19205)	EA	---	-----	-----	-----	*		
			1005-336-0212	TUBE, BORE: VCI treated 7266316 (19205)	EA	---	-----	-----	-----	*		

Digitized by Google



Figure 5. Major groups and assemblies.



Figure 6. Firing mechanism—exploded view.

Digitized by Google



Figure 7. Gun shoulder stock assembly.



Figure 8. Operating rod and connector group—partial exploded view.

Digitized by Google



Figure 9. Bolt assembly—exploded view.

Digitized by Google



Figure 10. Barrel and receiver group—exploded view.

Digitized by Google

Section V. SPECIAL TOOLS AND EQUIPMENT

(1) Source maint. and recov. code			Federal stock No.	(3) Description	(4)	(5)	(6)				(7)	
							15 Day Organizational Maint. Allowance				Illustration	
(A) Source	(B) Maint.	(C) Recov.		Reference number & mfr code / Usable on code	Unit of issue	Qty. inc. in unit	(A) 1–5	(B) 6–20	(C) 21–50	(D) 51–100	(A) Figure No.	(B) Item No.
1005–714–1245				EQUIPMENT SLING, SMALL ARMS: leather M1907 7141245 (19204) SPECIAL TOOLS AND EQUIPMENT TOOLS AND EQUIPMENT APPLICABLE TO THE M14 RIFLES (NM) AND (M) REFER TO TM 9–1005–223–35.	EA	---	-----	-----	-----	*	1	—

Digitized by Google

Section VI. INDEX—FEDERAL STOCK AND PART NUMBER CROSS-REFERENCE TO FIGURE AND ITEM NUMBER

STOCK NUMBER	FIGURE NO.	ITEM NO.
1005-018-3255	10	29
1005-474-2754	7	3
1005-545-1573	10	10
1005-554-6008	6	7
1005-554-6015	6	8
1005-587-6988	6	10
1005-587-8375	10	18
1005-587-8381	9	2
1005-587-8385	8	2
1005-587-8386	10	20
1005-587-8389	6	13
1005-587-8390	10	22
1005-587-8391	10	25
1005-587-8394	10	9
1005-587-8395	6	14
1005-587-8396	10	24
1005-587-8398	10	12
1005-587-8400	10	11
1005-587-8402	9	7
1005-587-8404	8	4
1005-587-8405	9	6
1005-587-8411	10	23
1005-587-8413	8	3
1005-587-8414	6	9
1005-587-8419	6	2
1005-587-8421	10	16
1005-587-8422	10	17
1005-600-8618	9	3
1005-600-8868	10	3
1005-600-8872	10	4
1005-600-8880	6	5
1005-600-8883	6	3
1005-600-8887	6	4
1005-600-8889	7	2
1005-617-4998	3	–
1005-628-9048	5	1
1005-628-9049	10	28
1005-628-9050	9	5
1005-628-9051	10	13
1005-628-9055	6	11
1005-649-9275	10	2
1005-678-9824	8	1
1005-678-9828	1	–
1005-678-9829	2	–
1005-690-4067	7	4
1005-714-1245	1	–
1005-754-6799	10	5
1005-790-8766	10	14
1005-819-4501	6	1
1005-856-2108	5	4
1005-864-2926	10	3
1005-864-2928	10	3A
1005-912-3711	7	5
1005-921-5248	9	4
1005-953-9504	9	1
1005-980-5203	10	7
1005-994-4242	6	12
1005-999-3399	10	1
5305-042-6426	10	8
5305-600-8881	7	1
5305-921-6155	10	6
5315-051-6891	10	15
5315-051-8636	10	27
5315-501-3668	6	6
5315-839-0897	10	21
5315-993-3247	10	19
6910-716-0903	4	–

PART NO.	MFG NO.	FIG NO.	ITEM NO.
MS 16562-107	96906	10	15
MS 16562-120	96906	10	27
MS 16562-124	96906	10	21
MS 51923-291	96906	10	19
5013668	19204	6	6
5546008	19205	6	7
5546015	19205	6	8
5910841	19204	1	–
5910842	19204	2	–
6008618	19205	9	3
6008868	19205	10	3
6008872	19205	10	4
6008880	19205	6	5
6008881	19204	7	1
6008883	19205	6	3
6008887	19205	6	4
6008889	19205	7	2
6174998	19200	3	–
7141245	19204	1	–
7160903	19204	4	–
7267001	19205	10	18
7267015	19205	9	2
7267025	19205	10	20
7267027	19205	8	2
7267030	19204	6	15
7267032	19205	6	13
7267034	19205	10	22
7267035	19205	10	25
7267036	19205	10	9
7267041	19205	6	14
7267042	19205	10	24
7267047	19205	10	12
7267053	19205	10	11
7267059	19205	9	7
7267064	19205	8	4
7267065	19205	9	6
7267074	19205	10	23
7267079	19205	8	3
7267080	19205	6	9
7267090	19205	6	2
7267604	19205	10	16
7267605	19205	10	17

Digitized by Google

Section VI. INDEX—FEDERAL STOCK NUMBER AND PART NUMBER CROSS-REFERENCE TO FIGURE AND ITEM NUMBER—Continued

PART NO.	MFG NO.	FIG NO.	ITEM NO.	PART NO.	MFG NO.	FIG NO.	ITEM NO.
7790183	19205	5	1	7791053	19205	10	10
7790184	19205	10	28	7791122	19205	10	7
7790185	19204	9	8	7791133	19205	10	3
7790186	19205	9	5	7791282	19205	10	3A
7790187	19204	5	7	7791286	19205	5	4
7790188	19205	10	13	7791362	19205	10	29
7790189	19204	10	30	7791363	19204	10	26
7790195	19204	5	2	7791367	19205	6	1
7790196	19205	6	11	7791418	19205	6	12
7790300	19205	10	8	7791571	19205	10	5
7790386	19205	10	2	7791578	19205	9	1
7790424	19205	8	1	11010281	19205	5	3
7790386	19205	7	4	11010282	19205	7	5
7790902	19205	10	14	11010298	19[illegible]	10	6
7790990	19205	6	10	11010363	19[illegible]	10	1
7791036	19205	7	3	11686413	19205	9	4

Digitized by Google

By Order of the Secretary of the Army:

HAROLD K. JOHNSON,
General, United States Army,
Chief of Staff.

Official:

KENNETH G. WICKHAM,
Major General, United States Army,
The Adjutant General.

DISTRIBUTION:

To be distributed in accordance with DA Form 12–40 requirements for organizational maintenance applicable to Rifle, 7.62–MM, M14 (National Match) and Rifle, 7.62–MM, M14 (M).

☆U.S. GOVERNMENT PRINTING OFFICE: 1990 - 262-912/30591

Digitized by Google